



African Population and
Health Research Center



WHAT DO I DO NOW?

A toolkit for helping adolescent mothers manage stress



A TOOLKIT TO
SUPPORT AND BUILD
RESILIENCE AND
STRONG MINDS
OF ADOLESCENT
MOTHERS

CONTENTS

01 Acknowledgements

02 Introduction/Background (incl. mental stressors and coping strategies)/Background (incl. mental stressors and coping strategies)

03 Overview of the toolkit (This can be as a self assessment toolkit for the adolescent mothers or facilitated sessions)

04 General instructions for administering the toolkit

05 Sections of the toolkit:

Step 1: Empathy- the pregnant adolescent's journey (Story ya-Sue)

Step 2: Pre-assessment of mental health status of pregnant and adolescent mothers

Step 3: Addressing information gaps- This session will be structured around six hours (two hours each) addressing the following areas:

- Antenatal and Hospital delivery by healthcare provider
- Family planning-Facilitated by healthcare provider/CHV
- Post natal care and Childcare session facilitated by a health provider
- Economic empowerment
- Health Insurance

01 Acknowledgements

02 Introduction/Background (incl. mental stressors and coping strategies)/Background (incl. mental stressors and coping strategies)

03 Overview of the toolkit (This can be as a self assessment toolkit for the adolescent mothers or facilitated sessions)

04 General instructions for administering the toolkit

05 Sections of the toolkit:

Step 5: Post-assessment of mental health (River of life and Mental health assessment)

ACKNOWLEDGEMENTS

The Project team would like to acknowledge the immense contribution to the following on the successful engagement of the project; the funder Melinda and Gates foundation for making it possible to conduct the study; the adolescent girls from Kawangware, Kangemi, Viwandani and Korogocho; the community representatives who gave us the go ahead to work with the communities in their areas; the parents, guardians and spouses who gave consent for the girls to participate in the project; the community based organizations that supported in mobilization of the adolescent girls; the consultants for their tireless efforts in ensuring that the project was on track; the mentors and facilitators for availing their valuable time and to APHRC for the support in actualizing the project on the ground.

INTRODUCTION

The adolescent stage is coupled by a myriad of challenges during the changes from childhood to adulthood. This stage is influenced by factors including physical and social changes as well as emotional and hormonal changes. To cope with these changes, the adolescent acquires new habits, change of behavior and acquires new relationships/friendships.

Key Facts (WHO 2012):

- About 16 million adolescent girls give birth every year - most in low- and middle-income countries, Kenya included.
- An estimated three million girls aged 15-19 undergo unsafe abortions every year.
- In low and middle-income countries, complications from pregnancy and childbirth are a leading cause of death among girls aged 15-19 years.
- Stillbirths and newborn deaths are 50% higher among infants of adolescent mothers than among infants of women aged 20-29 years.
- Infants of adolescent mothers are more likely to have low birth weight.

The reproductive health status of adolescent girls in Nairobi slums is of concern; with approximately 41% having experienced a pregnancy and nearly half of which are unintended (Beguy et al., 2013). Giving birth as an adolescent has many risks including adverse maternal and perinatal outcomes (Ganchimeg et al., 2014). Lack of contraceptive knowledge stemming from poor and/or limited sexual health education is a major factor. Unintended pregnancies among adolescents in this setting are linked to low use of appropriate maternal health care services and are a major cause of unsafe abortions.

Most of the public health facilities in Nairobi slums do not have skilled personnel or the basic equipment needed to provide quality information and services (APHRC, 2014). In the facilities that do exist, perinatal mental health is usually not prioritized due to other competing health challenges that require urgent attention (Jenkins et al., 2010; Kakuma et al., 2011; National Academies of Sciences & Medicine, 2016). Therefore, the mental health and wellbeing of slum populations, and adolescents in particular, is constantly under threat. Research has shown that adolescent pregnancies are on the rise in low income countries, especially in informal settlements (Beguy, Mumah, & Gottschalk, 2014; WHO, 2012).

The adolescent girls who elect to keep their babies are often isolated from their families and are pushed to drop out of school. There is limited knowledge and confidence towards child feeding and care, owing to limited professional support. As a result the adolescent girls who face such challenges have a high risk of postpartum mental stress.

It is thus imperative to provide a circle of support around the adolescent girl that will seek to understand and acknowledge and address these changes and challenges; provision of youth friendly services as well as tailored made communication for this adolescent stage is also a necessity in addressing the increased adolescent pregnancies in the country.

References

- Muganda-Onyando, R. and Omondi, M., 2008. Down the drain: Counting the Costs of Teenage Pregnancy and School Drop Out in Kenya. Centre for the Study of Adolescence. WHO. Adolescent pregnancy fact sheet. Adolesc. Pregnancy Fact Sheet 1-4 (2012). doi:<http://www.who.int/mediacentre/factsheets/fs364/en/>
- Ganchimeg, T. et al. Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study. *BJOG* 121 Suppl 1, 40-48 (2014).
- Osook, J., Kigamwa, P., Stoepe, A., Vander, Huang, K.-Y. & Kumar, M. Depression and its psychosocial risk factors in pregnant Kenyan adolescents: a cross-sectional study in a community health Centre of Nairobi. 1-10 (2018). doi:10.1186/s12888-018-1706-y
- Kumar, M. et al. Adolescent Pregnancy and Challenges in Kenya Context: Perspectives from Multiple Community Stakeholders. *Glob. Soc. Welf.* 5, 11-27 (2018).
- Mumah, J. et al. Unintended Pregnancies in Kenya: A Country Profile. *STEP UP Res. Rep.* 110 (2014).
- Ziraba, A. K., Mills, S., Madise, N., Saliku, T. & Fotos, J. C. The state of emergency obstetric care services in Nairobi informal settlements and environs: Results from a maternity health facility survey. *BMC Health Serv. Res.* 9, (2009).
- Jenkins, R. et al. Integration of mental health into primary care and community health working in Kenya: Context, rationale, coverage and sustainability. *Ment. Health Fam. Med.* 7, 37-47 (2010).
- Beguy, D., Mumah, J. & Gottschalk, L. Unintended pregnancies among young women living in urban slums: Evidence from a prospective study in Nairobi City, Kenya. *PLoS One* 9, 1-10 (2014).
- Kabiru, C. W., Beguy, D., Ndugwira, R. P., Zulu, E. M. & Jessor, R. 'Making It': Understanding Adolescent Resilience in Two Informal Settlements (Slums) in Nairobi, Kenya. *Child Youth Serv.* 33, 12-32 (2012).



A VENUE THAT
PROVIDES A CLEAN,
SAFE AND SPACIOUS
ENVIRONMENT
FOR DISCUSSION

OVERVIEW OF THE TOOLKIT

The Sasa Mama Teen (maternal mental health) Project aimed to co-design and test the feasibility of a youth-friendly toolkit of information, skill and confidence building and coping mechanisms that can effectively shield them and their peers against the risks of mental stress during pregnancy and early motherhood. The project had three phases. Phase 1 consisted of initial interactions with adolescent girls and qualitative data collection to capture their experiences with stress or/and depression during pregnancy and early motherhood in Nairobi slums. A representative sample of 30 adolescent girls aged 12-19 years old, pregnant or who recently gave birth (up to 12 months postpartum) were drawn from 4 major slums (Kangemi, Kawangware, Viwandani and Korogocho). Phase 2 consisted of analysis of the data from Phase 1 and development of the toolkit. Phase 3 the project team tested the feasibility of the designed toolkit in promoting resilience and stronger minds among adolescent girls. Approximately 128 girls were recruited and enrolled into the feasibility phase that was to run for 3 months. The inclusion age and status was 12-19 years old, pregnant or who recently gave birth, and a resident from the 4 slums. The girls were grouped based on status (pregnant, 0-6 months, 7-12 months and 12 months++). The 12 sessions of the toolkit were carried out weekly for 3 months by specialized facilitators. Qualitative Interviews were conducted at the end of the phase to capture the perceptions of the participants on the toolkit.

GENERAL INSTRUCTIONS FOR ADMINISTERING THE TOOLKIT

This toolkit is intended for use by researchers and community development professionals with a focus on maternal health and wellbeing. Some key things to consider prior and during its use include:

- A venue that provides a clean, safe and spacious environment for discussion
- A convenient time for discussion. In our experience, any time after 9 o'clock was okay and duration of not more than 2 hours.
- Recruitment - employ fairness and willingness to participate in the recruitment process. The

user can use word of mouth/ referral system to recruit the girls.

- It is important to consider having snacks or meals during the discussions, as most girls are either expectant or breastfeeding.
- There is also need for a babysitting service for the older children where they can be taken care of, allowing the mother peace of mind.
- For some of the sessions, healthcare providers and mental health experts may be required.
- Consider providing stationery during discussions, such as notepads, pencils, markers, plain paper and pens.
- If incorporating relaxation exercises such as yoga, please consider working with yoga instructors or using yoga videos, and provide a suitable environment and equipment for these exercises.

SECTIONS OF THE TOOLKIT

- **Step 1: Empathy - the pregnant adolescent's journey (Story ya Sue)**

Session Objective	The main aim of this session is to identify the different mental stressors and coping strategies used by adolescent mothers in Nairobi's informal settlements.
Content of discussion	During the discussions, the girls should be encouraged to discuss the various mental pressures they are undergoing, and the different coping mechanisms that they use. To aid the discussions, the Story of Sue can be used as a guide as it depicts some of the stresses and coping strategies that girls in our engagement used.

Exercises

As part of the exercises, ask the girls to write down their mental stresses. If possible, get them to take photos of issues they consider as stressors, and share with other members of the group. See examples of documentation of stresses and coping mechanisms produced during our engagement.



Girls being chased away from home... They (parents) claim that they never had babies out of wedlock. So, it's an embarrassment to them for you to have a baby out of wedlock...they also claim that our age mates are still in school" (FGD with adolescent girls)



Getting a job is hard with a baby"...house job will be difficult to go with your kid...So they think that instead of working you will concentrate with your child...so you will not be given the job" (FGD with adolescent girls)



The dirty environment has consequences... brings diseases...the baby gets sick and you don't have money to go to hospital...our issue is money (FGD with adolescent girls)



there is a problem because you will just keep quiet. You get discriminated by others because you are pregnant and laughed at...some go back to school but no concentration as their mind is thinking about the baby at home. In school, some friends will make you the topic of the day..." (FGD with adolescent girls)



Friends reactions..." they rejected me and that's where my worries began because they were avoiding me...they started talking behind my back that I even let my parents down, I disappointed them". (IDI with pregnant adolescent)

Resources

Stationery during discussions, such as notepads, pencils, markers, plain paper and pens.

Recommendations

- Use available resources within your reach.
- Be aware that participants may already be experiencing some form of mental stress that may manifest in different ways. Find ways of getting them engaged without causing further distress.



STORY YA SUE

LOCATION: AN INFORMAL SETTLEMENT, SOMEWHERE IN THE HEART OF NAIROBI.



THE PEOPLE IN SUE'S LIFE



CARO,
SUE'S LATE
FATHER'S SISTER.



MUNA,
ELDER SISTER.



SUE'S MUM,
SINGLE MOTHER.



SUE,
15 YEARS OLD
HIGH SCHOOL
STUDENT.



NURSE MARY





BRAYO
SUE'S BOYFRIEND,
A LOCAL MATATU TOUT
22 YEARS OLD





SUE MEETS WITH BRAYO.





LATER, SUE AND HER MOTHER HAVE A CONFRONTATION.

SUI NIJINYONGE, NI-ABORT, NITOROKE NYUMBANI... NITADO..?

SUE, EBU KUJA HAPA.

MUM, NI... NIKO NA BALL!!

MIMBA! KWANI NILIKUPELEKA SHULE NDO UPATE MIMBA! UTARARUA TROUSER YA MWENYE HIYO MIMBA UTUMIE KAMA NAPKIN!

NINI HII NASIKIA? NDUGU ZAKO WANANIAMBIA ATI UMEKUWA UKITAFIKATAPIKA ASUBUHI. NA KILA SAA UNASEMA WEWE HUSIKII YIZURI. NI NINI INANDELEA HAPA? ONGEA!

MUNA, MUM AMENIAMBIA NIPELEKE HII MIMBA KWA MWENYEWU NA AKANIFUKUZA.

GHAHHH! USJALI, ITABIDI UENDE TU KWA AUNTY CARO AKUSAIKIE.

SUE GOES TO HER AUNT'S HOUSE.

MSICHANA WANGU,
NIAMBIE NI NINI IMEFANYIKA?

NIMEAMBIA MUM NIKO
NA BALL AKANIFUKUZA.

WOI SUE!
NAELEWA SAHIZI UKO NA STRESS
MINGI SANA, TUTANG'ANG'ANA TU NA WEWE
HAPA KWANGU. LAKINI NAJUA SIKU MOJA MAMA
YAKO ATAKUSAMEHE MIMBA YAKO
IKO NA MIEZI NGAPI?

NIKO KARIBU
MIEZI NNE SASA.

HIO BADO NI NDOGO SANA
NA BADO UNAWENZA KUENDELEA NA
SHULE. MIMBA SI UGONJWA AU
MWISHO WA MAISHA.

LAKINI AUNTY NINAOGOPA. WATU HUKO HJE WASHAANZA
KUNISENGENTA, WANASEHA ATI MIMI SASA NIMECHAPA.
RAFIKI YANGU HATA ALINIAMBIA MIMI NI FALA SANA KUSHIKA
BALL BRAYO PIA HADAI STORI ZANGU, YAANI HATA SUJUKII
KUENDELEA SHULE AMA KUONEKANA NA WATU, KAMA SI
KUBONGA NA MUNA, LABDA HATA NINGEKUWA NIMEFANYA
KITU MBUYA SANA.



(FIRST TIME ANC) SUE AND HER AUNT WALK INTO A CLINIC. THERE ARE WOMEN AT VARIOUS STAGES OF PREGNANCY AND MOST OF THEM SEEM OLDER THAN HER. SHE CAN ONLY IMAGINE WHAT'S RUNNING THROUGH THE MINDS OF THE OTHER WOMEN. AS IF READING HER MIND, HER AUNT GRABS HOLD OF HER HAND AS THEY TAKE THEIR PLACE IN THE QUEUE. THERE ARE BENCHES LINED AGAINST THE WALLS, WHICH BEAR COLOURFUL POSTERS OF DIFFERENT HEALTH MESSAGES. ONE, IN PARTICULAR, JUMPS OUT AT HER- 'A HAPPY HEALTHY MOTHER, IS A HEALTHY BABY.'



HABARI YA LEO,
SUSAN.
HII NI MARA YAKO
YA KWANZA HUKU?

NDIO. NIMELETWA NA
AUNTY YANGU.

HAYA BASI. TUTAANZA NA TESTS KADHAA NDIO
TUWEZE KUJUA KWA HAKIKA MIMBA YAKO NI YA MIEZI
NGAPI NA PIA TUJUE HALI YAKO YA AFYA. SAWA?

KABLA UENDE KWA LABORATORY, NINGEPENDA
NIKUELEZE KUWA NI MUHIMU UJIANGALIE-
KWA SASA HII MWILI SI YAKO PEKE YAKO, NI VIZURI
UKULE A BALANCED DIET, YAANI, CARBOHYDRATES,
VITAMINS NA PROTEINS.
USTUMIE MADAWA YA KULEVYA

NA PIA NINGEPENDA KUKUELEZA KUWA
UNAFAA KUJUA CLINIC ATLEAST MARA NANE
KABLA YA KUJIFUNGUWA ILI KUHKAKIKISHA AFYA
YAKO NA YA MTOTO IKO SAWA, KUTATAUA
SHIDA YOYOTE KAMA IKO NA PIA
KUHKAKIKISHA KUWA UKO NA EXPERIENCE
POA UKIWA NA MIMBA, UNAPOJIFUNGUWA
NA BAADA YA KUJIFUNGUWA.

NDIO DAKTARI. LAKINI
NAJARIBU KUKULA LAKINI
SANA SANA SINA APPETITE.
PIA NINATAPIKA SANA.


ANTENATAL CARE

What to expect: Tetanus vaccine, Iron andolate (IFAS) and Prevention of Mother to Child transmission (PMTCT) - to mothers who have tested HIV positive. Calculation of Expected delivery date.

- Laboratory tests
- Haemoglobin levels (Hb)
- Blood group
- Rhesus
- Serology (VDRL/RPR)
- HIV testing including counseling
- Urinalysis

2016 WHO ANC model	
<i>First trimester</i>	
	Contact 1: up to 12 weeks
<i>Second trimester</i>	
	Contact 2: 20 weeks Contact 3: 26 weeks
<i>Third trimester</i>	
	Contact 4: 30 weeks Contact 5: 34 weeks Contact 6: 36 weeks Contact 7: 38 weeks Contact 8: 40 weeks

Return for delivery at 41 weeks if not given birth.



HIO NI KAWAIDA LAKINI LAZIMA UJARIBU KUKULA, HATA KAMA UNAKULA KITU KIDOGO LAKINI MARA NYINGI. NITAKUANDIKIA DAWA YA IPAS YA KUONGEZA DAMU MWILINI. NAONA BADO WEWE NI MDOGO. JE, BADO UKO SHULENI?

NDIO, LAKINI NAFIKIRIA KUACHA SHULE. NAJARIBU KUFCCHA BALL LAKINI NAFIKIRI KUNA WAALIMU WANANISHUKU. WANANILIZA MASWALI MINGI, NA SAA ZINGINE NAONA MASTUDENTS WENGINE WANAANZA KUFCCHA NIKIPIITA.

USIFANYE HIIYO. NAJUA WATU WATAKUSEMA SANA LAKINI NI MUHIMU KUJIKEEP BUSY. SHERIA INASEMA MSICHANA AKO NA HAKI YA KUENDA SHULE MPAKA WAKATI ATACHOKA AMA AKIJIFUNGA. UKIKAA BURE KWA MTAANNDIO UTAAPATA UNAFIKIRIA MAMBO MENGI NA HIO SI POA. UKIKUWA NA STRESS MINGI INA-AFFECT MTOTO WAKO. UKO NA MTU UNATRUST UNAWAZA KUONGEA NA YEYE?

NILIFUKUZWA KWETU LAKINI NINAISHI NA AUNTY YANGU. PIA NIKO NA SISTER MKUBWA ANANISAIKIANGA KIDOGO.

HIO NI YIZURI- UKISIKIA STRESS IMEPANDA SANA, ONGEA NAO. AMA UTOKE UENDE KUTEMBEA KIDOGO- NI EXERCISE POA PIA. PIA, KWA VILE UMESCHA HUIISHI KWA WAZAZI WAKO. NI MUHIMU UREGISTER NA PROGRAM INAITWA LINDA MAMA. HIO UTAISADIA KULIPIA BILLS ZOTOTE ZA CLINIC NA PIA MALIPO YA HOSPITALI UTAKAPO JIFUNGA.

SAWA, DAKTARI.

UTAONYESHA VILE UNAWAZA KUREGISTER (LINDA MAMA)- MTATUMIA NAMBA YA AUNTY YAKO KWA SABABU BADO HUJAFIKA 18 YEARS.

HABARI DAKTARI?

NINASIKIA POA.
KUTAPIKA IMEPONGUA KIASI
NA NIMEANZA KUACCEPT BALL.

EH, KILA SAA ANAPIGA TEKE.
HATA SAA ZINGINE NASIKIA
ANANIKANYANGA KANYANGA.

TUMEANZA KUJIPANGA KIDOGO.UNAJUA KWETU HATUJIWEZI,
ILIBIDI NIWACHE SHULE NDO NIWEZE KUFANYA VIBARUA MTAANI
ILI NIWEZE KUPATA PESA KIDOGO YA KUJISKUMA KIMAISHA.PIA,
BALL ILIKUWA IMEANZA KUONEKANA NA NILIKUWA NA AIBU
YA KWENDA HIYO SHULE

SAWASAWA. LAKINI NIKO NA SWALI- KAMA SIWEZI KUFANYA
KAZI MINGI, NITAOA WAPI PESA ZA KUNUNUA VITU ZA MTOTO?
NA MAMBO YA HOSPITALI AKISHAZALIWA?

MZURI SANA, SUE.
MWEZI IMEPITA TAYARI?
MNAENDELEAJE?

HIO NI VIZURI SANA.
UNASIKIAJE MTOTO
KWA TUMBO?

HIO NI KAWAIDA. INAMAANISHA
ANAENDELEA VIZURI NA ANAKUWA
HEALTHY. KILA SIKU LAZIMA USIKIE
AKICHEZA, NA UMEANZA KUJTAYARISHA
NA VITU ZA MTOTO?

NI MUHIMU KUKEEP BUSY LAKINI
USIJSUKUME SANA. HATUTAKI KITU
YOYOTE IFANYIKIE MTOTO. KWA HIYO
UKIANZA KUSIKIA UCHUNGU AMA
UANZE KUTOKA DAMU UKIJE HAPA
KWA CLINIC MARA MOJA.

KWA SABABU ULIREGISTER KWA LINDA MAMA SERIKALI
INALIPIA KILA KITU MPKA WAKATI WA KUJIFUNGA. LAKINI PIA
UNAWEZA KUWEKA PESA KIDOGOKIDOGO KAMA 30 B0B, 50 B0B
KWA MTABA. HIO NI PLAN YA KUSAVE PESA KWA SIMU NA UNAWEZA
KUTUMIA HIO PESA KWA MATRABU YAKO NA MTOTO HOSPITALINI
BAADA YA KUZALIWA.



- NHIF COVERS MATERNITY INSURANCE EVEN IF THE MEMBER JOINS THE SCHEME WHEN THEY ARE ALREADY EXPECTING.
- COVERS BOTH IN AND OUT PATIENT SERVICES.



- PREGNANT WOMEN AS WELL AS INFANTS HAVE ACCESS TO QUALITY HEALTH CARE FOR 6 MONTHS AFTER DELIVERY AT NO CHARGE.
- OTHER REGISTRATION PLATFORMS: NHIF REGISTRATION PORTAL, CONTRACTED HEALTH CARE PROVIDERS , NHIF SERVICE CENTERS ,HUDUMA CENTERS



- FUNDS STORED IN M-TIBA CAN ONLY BE USED TO PAY FOR SERVICES AND MEDICATION AT SPECIFIC HEALTHCARE FACILITIES WHICH CARRY THE M-TIBA LOGO.
- DIAL *253# AND CHOOSE REGISTER TO M-TIBA.



MOTHER JOURNEY PROGRAM

- AIMS TO ENHANCE MATERNAL CARE.
- CATERS FOR NORMAL AND COMPLICATED DELIVERY (INCLUDING CAESAREAN SECTION), 4 ANTE NATAL CLINIC VISITS, 2 POST NATAL CLINIC VISITS, IMMUNIZATION OF NEWBORN UP TO 14 WEEKS (KEPI) AND ONE ULTRASOUND SCAN.
- THIS PROGRAM IS AVAILABLE AT SPECIFIED HEALTH FACILITIES E.G.MWANGAZAULLIONATUMAINI HEALTH CENTRE AND REDEEMED GOSPEL CHURCH HEALTH CENTRE.
- JOINING REQUIREMENTS: PREGNANT, HAVE NATIONAL ID OR ID OF GUARDIAN/SPOUSE.
- REGISTERED SAFARICOM LINE.
- GET IT THROUGH M-TIBA, DIAL *253#

SUE AT 9 MONTHS...

UMEKUWA HIVYO
KUTOKA SAA NGAPI?

NASIKIA UCHUNGU SANA KWA MGONGO,
INAENDA IKIRUDI, NIKISIMAMA NATAKA
KUKETI, HATA SUJELEWI.

IMEANZA JANA USIKU NIKILALA LAKINI
NILIFIKIRI NI MTOTO TU ANACHEZA.



SUE, UNANIAMBIA HIVYO SAA HII, SAA SITA?
ULIPACK ILE BAG YA HOSI VILE NILIKUAMBIA?

NDIO, NILIWEKA NGUO MBILI ZA MTOTO, LESO,
TOWEL, NDOGO, COTTON WOOL, NGUO ZANGU
MBILI, PAMPERS, SLIPPERS NA SHAWI YA MTOTO.

NA KADI YA HOSPITALI NA LINDA MAMA?

ZIKO HAPA ZOTE.

HAYA HARAKA!
NI KAMA MAJI YAKO IMEBREAK!
CHUKUA HIO BAG. HUYO MTOTO NI KAMA
ANAKUJA LEO NA LAZIMA AZALIWE
KWA HOSPITALI, SI HAPA NYUMBANI.

MAMAYO...! NASKIA MAJI MAJI
KWA NGUO YANGU.

AT THE HOSPITAL



SUE IS SENT TO THE LABOUR WARD AND EXAMINED BY THE NURSE

DAKTARI! NASKIA KWENDA
HAJA KUBWA



SUE IS RUSHED TO THE DELIVERY ROOM



AT HOME...

SUE, JANA USIKU HUYU MTOTO
ALILIA SANA, ULILALA HATA?

EHI POLE SANA,
NITAKUFUNZA JMISI YA KUMWEKA KWA
MATITI ILI AWEZE KUNYONYA VIZURI. OH! NA PIA UNAFAA
KUPUNGUZA MAWAZO NA KUKULA VIZURI VILE ULIAMBWA
HOSPITALINI.

NI MUNGU TUI HATA SJALALA USIKU
YOTE. SJUI KUMWEKA VIZURI KWA MATITI NDO
ANYONYE, MATITI ZANGU ZINAUMA,
ZIKO NA TU YIDONDA NA SIDHANI NIKO MAZIWA
YA KUTOSHA SASA HATA MTOTO HAWEZI SHIBA.

ATLEAST HATUNA STRESS YA
PAMPERS KWA SABARU
TULIKUWA TUMESAVE.



AT 10 WEEKS -PNC VISIT

HABARI YA MAMA AYDEN?

MZURI SANA, DAKTARI.

MMEKUJA CHANJO YA PILI?

NDIO

NAPENDA VILE UNAFUATILIA CLINIC. HIO NI MUHIMU SANA ITAKUSAIDIA WEWE NA MTOTO WAKO.CHANJO ITAMKINGA MTOTO WAKO KUTOKANA NA MAGONJWA MENGI. BADO UNAMNYONYESHA?

HUYU BADO TUMBO YAKE HAJAKOMAA KWA HIYYO KAZANA NA YEYE NA MAZIWA YAKO. JARIBU KUKULA VITU AMBAYO VITAKUONGEZA MAZIWA...HALAFU,UNAKUMBUKA TULIONGELEA MAMBO YA CONTRACEPTIVES CLINIC YAKO YA KWANZA, ULIAMUJJE?

NDIO. LAKINI, DAKTARI, HUYU NI KAMA HASIBI. HATA NAFIKIRIA KUMWANZISHIA UJI.

BADO NAFIKIRIA HATA NIMEONGEA NA AUNTY YANGU, LAKINI KWA SAHI BADO NA ABSTAIN.

HIYO NI POA LAKINI NI VIZURI UJUE OPTIONS ZINGINE.

Contraception methods



Condom



Female condom



Oral contraception



Hormonal ring



IUD



Contraceptive injection



Surgical sterilization
(TUBAL LIGATION)



Implant



Coitus interruptus



Calendar rhythm method
(SAFE DAYS)



Vaginal douche



Contraceptive patch



Diaphragm / cap

FOR MORE INFORMATION ON ABOVE METHODS, VISIT A HEALTH FACILITY.

BACK HOME-SUE IS SELF REFLECTING ON HER JOURNEY.

PLACE NIMETOKA NI MBALI, KAMA SI AUNTY CARO NA MUNA SUIJI NINGEKUWA WAPL. KILA TIME NIKIKUANGALIA MTOI WANGU, NABAMBIKA TU SANA, ENYEWU NI GOD!

KWENDA CLINIC IMENSAIDIA SANA PAMOJA NA MTOI WANGU, TUKO HEALTHY. HATA WALE MARAFIKI WALKUWA WANANICHEKA SAHIZI HAWAWEZI KUBELIEVE VILE NIKO NA CONFIDENCE.

HII SIO MWISHO WA MAISHA, NITAHUSTLE ILI NIHAKIKISHE EITHER NIMERUDI SHULE AMA NIMEJOIN SHORT COURSE KAMA HAIR DRESSING. HOPEFULLY HII ITANIWEZESHA KUPATA JOB ILI NI NIMPATIE MTOI WANGU MAISHA POA.



**African Population and
Health Research Center**



OBJECTIVE:
IDENTIFY MAJOR
EVENTS IN LIFE
THAT PRECIPITATE
EMOTIONAL
UNCERTAINTIES

- Step 2: Pre-assessment - (River of Life, and Mental health assessment - continuous assessment of weekly calendar)

Session Objective	To identify major events in life that precipitate emotional uncertainties
Content of discussion	<p>The session entails describing life through a river metaphor and allowing the girls to depict major events both positive and negative that have evolved around their pregnancy to the day of the sitting.</p> <p>Introduce depression and anxiety screening tools and allow the girls to fill in the questionnaire (World Health Organization depression & Anxiety scale -WHODAS) scores of 4 & 5 require immediate referral and linkage with the nearest health facility or mental health facility.</p>
Exercise	<p>Allow the girls to depict life events by making a sketch on a piece of paper.</p> <p>While sketching the river provide explanations along the river or in the river.</p> <p>An example of the feeling achieved by the girls after drawing the river of life</p> <p><i>"I did not like that river of life at the beginning because whenever I drew the challenges I was going through it was not a very good experience because I had passed through a lot. I was not finding it easier to write but as I continued to write and it is information that was supposed to be kept well, I just wrote and I felt better finding that it was not just me alone going through those challenges" (FGD participants).</i></p>
Resources	Plain drawing paper, assorted crayons & pencil
Recommendations	This exercise requires a relaxed atmosphere

- **Step 3: Addressing information gaps**

Session Objective	The main aim of this session is to provide information identified as not readily available to adolescent mothers, that would enable them to take better care of themselves and their children.								
Content of discussion	<p>These sessions will be structured around six hours (two hours each) addressing the following areas:</p> <ul style="list-style-type: none"> • Antenatal and Hospital delivery by healthcare professionals. • Family planning-Facilitated by healthcare professionals. • Post natal care and Childcare session- facilitated by health professionals. • Economic empowerment- facilitated by financial experts • Health Insurance - this can be facilitated by a professional from the health insurance industry 								
Exercise	These sessions will involve going over the different illustrations as provided.								
Resources	<div data-bbox="284 645 714 953" style="background-color: #2c5e8c; color: white; padding: 10px;"> <p style="text-align: center;">ANTENATAL CARE</p> <p>What to expect: Tetanus vaccine, Iron andolate (IFAS) and Prevention of Mother to Child transmission (PMTCT) - to mothers who have tested HIV positive. Calculation of Expected delivery date.</p> <ul style="list-style-type: none"> -Laboratory tests -Haemoglobin levels (Hb) -Blood group -Rhesus -Serology (VDRL/RPR) -HIV testing including counseling -Urinalysis </div> <div data-bbox="732 656 1005 941" style="border: 1px solid black; padding: 10px; margin-left: 20px;"> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="background-color: #002060; color: white;">2016 WHO ANC model</th> </tr> </thead> <tbody> <tr> <td style="background-color: #e6f2ff;">First trimester</td> </tr> <tr> <td>Contact 1: up to 12 weeks</td> </tr> <tr> <td style="background-color: #e6f2ff;">Second trimester</td> </tr> <tr> <td>Contact 2: 20 weeks Contact 3: 26 weeks</td> </tr> <tr> <td style="background-color: #e6f2ff;">Third trimester</td> </tr> <tr> <td>Contact 4: 30 weeks Contact 5: 34 weeks Contact 6: 36 weeks Contact 7: 38 weeks Contact 8: 40 weeks</td> </tr> <tr> <td style="background-color: #002060; color: white; font-weight: bold;">Return for delivery at 41 weeks if not given birth.</td> </tr> </tbody> </table> </div>	2016 WHO ANC model	First trimester	Contact 1: up to 12 weeks	Second trimester	Contact 2: 20 weeks Contact 3: 26 weeks	Third trimester	Contact 4: 30 weeks Contact 5: 34 weeks Contact 6: 36 weeks Contact 7: 38 weeks Contact 8: 40 weeks	Return for delivery at 41 weeks if not given birth.
2016 WHO ANC model									
First trimester									
Contact 1: up to 12 weeks									
Second trimester									
Contact 2: 20 weeks Contact 3: 26 weeks									
Third trimester									
Contact 4: 30 weeks Contact 5: 34 weeks Contact 6: 36 weeks Contact 7: 38 weeks Contact 8: 40 weeks									
Return for delivery at 41 weeks if not given birth.									

Resources

Economic Empowerment

How to get/make money as a start

- Self-employment for example *cooking and selling food like chips, mandazi; selling clothes and shoes; selling vegetables and fruits, plaiting hair*
- Casual/short-term employment like *washing clothes for other people, washing dishes, fetching water for other people, casual work in hotels/kiosks, farming, working in industries*
- Long-term employment including *working in salons, hotels/kiosks, small offices, supermarkets, house-help work, teaching jobs, working in industries*

How to save our money



i)Home banking

ii)Saving in the bank

iii)Saving on phone

Other types of savings

- iv)Table Banking.
 - It is a method of saving where members save and can borrow directly from their savings.
 - This can be either short-term or long-term loans.
 - The group meets once a month and at this meeting members place their savings and loan repayments on a table.
 - Members contribute money and when a member wants an amount, they take a loan from the kitty and pay back with interest.
- v) Merry go round
 - Members of the group come together and contribute a certain amount, and all the money goes to one person.
 - The member to receive the money can receive it either daily, weekly or monthly.
 - Members can use the money to start a business as they continue contributing.

Importance of saving

- Always save with a goal- why are you keeping the money aside, to start a business, to buy household goods etc.
- Being economically empowered gives you peace of mind when it comes to being able to provide for your children.
- Look for other girls around you whom you want to do business with or start a savings scheme with to empower yourselves.

It's Not About
How Much Money
You Make
It's How You Save It!

Recommendations

To support these sessions, other relevant materials available in your context/ setting may be used.

- Step 4: Confidence - building (Problem Management plus, managing stress, get going keep doing, Strengthening social networks, symbol of hope)(Breathing exercises, Meditation, pre and post natal yoga)


Session Objective	<p>The aim of this session is to get the girls to develop confidence in self care skills that counter mental stressors in life.</p> <p>A WHO mhGAP manual adaptation for use among non mental health specialist that can be used in community settings to provide therapeutic management for distress.(Depression, anxiety & stress)</p>
Content of discussion	<p>The manual provides basic helping skills in 5 sessions that start with an explanation of the manual contents ,objectives and structure then followed by an Pre-PM+ assessment ,intervention feedback and post intervention evaluation as well as a WHODAS & PSYCHLOPS.</p> <p>The session helps the individual girl understand adversity by appreciating the intervention with sessions that take about 1-2 hours with the following themes;</p> <ul style="list-style-type: none"> • Managing stress • Managing Problems • Get going and keep doing • Strengthening social support • Staying well
Exercise	<p>Each of the sessions are guided by trained personnel who work with a group of 12-20 girls to engage in the discussion that yields in identifying the 5 key themes.</p> <p>An outline of the session is made before each session commences then relaxation techniques like breathing exercises to get the girls to relax are encouraged -this can be guided by a local yoga instructor.</p>

	<p>During the session the facilitator is expected to find out how the girls have been since the last interaction, review homework or assigned work as areas that require emotional changes.</p> <p>Handout notes, case studies, pictorials, weekly calendars, assignments are shared with participants get to interact with each other through case studies and feedback sessions</p> <p>At the end of each of the sessions the facilitator summarizes by sharing home work or agreed practice task and clarifies with the participants on the PSYCHLOPS assessment .</p>
Resources	<p>Consider working with yoga instructors from the community, yoga and meditation videos from the internet.</p> <p>A sound system or small speakers to play soothing music or instructions during the exercise.</p> <p>A convenient and spacious room with yoga mats.</p> <p>Inform the participants to wear appropriate clothes for the exercises prior to this engagement.</p>
Recommendations	<p>Problem management plus is a therapeutic treatment plan that requires fidelity to the sessions and needs.</p> <p>The management approach is not recommended for girls with suicidal ideation or high scores of depression.</p> <p>During the intervention the facilitators are encouraged to keep tabs with a supervisor or clinical psychologist who can provide guidance on the emerging emotional needs.</p>

- **Step 5: Post-assessment of mental health ((Symbol of life and Mental health assessment)**

Session Objective	To identify whether participants have developed resilience ,confidence in self care and the ability to articulate levels of distress that require follow up and linkage to care.
-------------------	--

<p>Content of discussion</p>	<p>The activity requires the facilitator to link hope with symbol metaphors that break down cultural practices and rites to individualized adaptations that create purpose by attaching meaning.</p>
<p>Exercise</p>	<p>Participants engage in sketching the symbol of life which depicts what symbol they attach hope and meaning for life. Fill in a WHODAS Post evaluation assessment. The facilitator should encourage participants to be honest, expressive and follow instructions for success of this exercise.</p>
<p>Resources</p>	<div data-bbox="319 380 952 784" data-label="Diagram"> <p>EMOTIONAL Coping effectively with life and creating satisfying relationships.</p> <p>FINANCIAL Satisfaction with current and future financial situations.</p> <p>SOCIAL Developing a sense of connection, belonging, and a well-developed support system.</p> <p>SPIRITUAL Expanding our sense of purpose and meaning of life.</p> <p>OCCUPATIONAL Personal satisfaction and enrichment derived from one's work.</p> <p>PHYSICAL Recognizing the need for physical activity, diet, sleep, and nutrition.</p> <p>INTELLECTUAL Recognizing creative abilities and finding ways to expand knowledge and skills.</p> <p>ENVIRONMENTAL Good health by occupying pleasant, stimulating environments that support well-being.</p> <p>WELLNESS</p> </div> <p>Stationery-pens, pencils, crayons and papers for the exercise.</p> <p>Printed forms of various mental health assessment tool to be used such as the EPDs.</p>
<p>Recommendations</p>	<p>The facilitator needs to allow the participants to think through and share their symbols to each other to identify diversity in hope and resilience building.</p>



THOUGHTS OF
SUICIDE SHOULD
ALWAYS **BE TAKEN**
SERIOUSLY.

CRITICAL REFERRALS

When a person poses an immediate danger to self or others (for example, suicidal behavior, severe aggressive behavior, an eating disorder that is out of control, self-mutilation like cutting, or other self-destructive behavior).

Thoughts of suicide should always be taken seriously. They may not share these thoughts with you, but the family members may be aware of concerning behaviors, like isolation. A person who is seriously suicidal should be considered a psychiatric emergency and immediate psychiatric evaluation/ consultation should be sought. Do not hesitate to call 911/Emergency Medical Services (EMS) for assistance; ask if a person with Crisis Intervention Team (CIT) training is available.

HELPLINES

If you need to talk to someone, you can reach out through the free helplines below:

- **One2One Hotline:** For any information on sexual and reproductive health, including HIV/AIDS, dial **1190**. The service is free for Safaricom subscribers.
- **The national Gender-based Violence hotline:** Access quick GBV services on referral through a confidential system by dialing **1195**.



**African Population and
Health Research Center**

Transforming lives in Africa through research.

African Population and Health Research Center
APHRC Campus, Manga Close, Kitisuru Nairobi, Kenya

info@aphrc.org

254 (20) 400 1000 / 266 2244

+254 722 205 933 / 733 410 102

www.aphrc.org