




Towards a Harmonized Nutrient Profile Model (NPM) in the East African Community (EAC)

A Strategic Opportunity for Public Health and Regional Integration



Author: Shukri Mohamed

01 Executive Summary

Non-communicable diseases (NCDs) are rising rapidly across the East African Community (EAC), now contributing to a substantial and growing share of mortality. Diet-related risk factors are among the leading drivers of this trend.

Several EAC Partner States have already made progress in developing national-level nutrient profile models (NPMs). However, differences in nutrients of concern, thresholds, and food categorization risk creating regulatory fragmentation within an increasingly integrated regional market.

EAC Partner States should align national NPMs within a common regional framework supported by a coordinated technical process and a clear implementation roadmap.



Key message: Aligning nutrient profile models across the EAC will strengthen public health impact, improve the regulatory coherence, and support regional trade integration.



02 The Growing Burden of Diet-Related NCDs in the EAC

NCDs, including cardiovascular diseases, diabetes, cancers, and chronic respiratory conditions are now a major contributor to mortality and disease burden across the EAC^{1,2}.

- Recent estimates indicate that: ~ 45% of all deaths in East Africa are attributable to NCDs
- Highest burden observed in Rwanda (47%), Ethiopia (47%), Tanzania (44%) and Kenya (44%).

Dietary risks driven by changing food environments are central to this burden. These trends also have important equity dimensions. Women and urban populations often experience higher exposure to unhealthy food environments, while lower-income groups may face constrained access to healthier options^{3,4,5}. Addressing diet-related NCDs therefore requires policy approaches that are both effective and equitable.

Figure 1: Proportion of deaths attributable to NCDs (%)



03

Why Nutrient Profile Models Matter

Nutrient Profile Models (NPMs) are a critical policy tool used to classify foods based on their nutritional composition⁶. They determine whether a product is considered “unhealthy” and therefore subject to regulation. They underpin multiple policy interventions, including,

- Front-of-pack nutrition labelling (FOPL), Fiscal policies (e.g., taxes on sugar-sweetened beverages or unhealthy foods),
- Restrictions on marketing of unhealthy foods and beverages to children,
- Public procurement standards, food standards, and trade regulations.



Key message:
NPMs are the technical backbone of food environment policies.

04

Current Status of NPM Development in the EAC

EAC Partner States are at different stages of NPM development:



Country	National NPM Status
Kenya	NPM developed and published ⁷
Uganda	NPM developed
Tanzania	Advanced stage
Rwanda	Not yet developed
Burundi	Not yet developed
South Sudan	Not yet developed
DRC Congo	Not yet developed
Somalia	Not yet developed



Key observation: Progress exists, but approaches are not aligned. Differences include nutrients of concern included, threshold levels used to classify products, and food categorization approaches used.

05

The Core Challenge: Regulatory Fragmentation

Without alignment, products may be classified differently across countries, industries face increased compliance costs particularly for manufacturers operating regionally, policies will be inconsistently applied in the region and can lead to consumer confusion due to varying standards across the region.



Implication:
Fragmentation undermines both public health impact and regional integration goals.

06

Why Harmonisation Matters

1 Strengthening Public Health Impact

A harmonized approach ensures consistent identification of unhealthy foods across countries, enhancing the effectiveness of policies aimed at improving diets and reducing NCD risk.

2 Supporting Trade and Market Integration

Alignment reduces technical barriers to trade and creates a more predictable regulatory environment for industry. This is particularly important in the context of the EAC common market, where food products move across borders.

3 Enhancing Regulatory Efficiency

Harmonization allows countries to pool technical expertise, reduce duplication of effort, and build on shared evidence. It also supports coordinated policy implementation across multiple domains.

4 Promoting Equity

A consistent regional approach can help ensure that all populations benefit from similar levels of consumer protection while allowing for context-specific adaptations where necessary.

07

Policy Applications: Immediate Opportunities

Key opportunity: A harmonized NPM can be readily applied across multiple policy areas:

- **Front-of-pack nutrition labelling (FOPL):** Enabling clear and consistent consumer information
- **Fiscal policies:** Supporting the design of effective and aligned tax measures
- **Public procurement and school food standards:** Promoting healthier food environments in public institutions
- **Marketing restrictions:** Defining which products should not be marketed to children
- **Food standards and trade regulation:** Supporting alignment of product standards across the region

These represent practical entry points for implementation and demonstrate the cross-cutting value of a common NPM framework.

08

Regional Relevance and Lessons

Regional collaboration on nutrient profile is not unprecedented. The WHO African Region (AFRO) Nutrient Profiling Model provides a regional foundation that several countries have drawn upon or adapted⁶. Beyond Africa, regional experiences such as the Pan American Health Organization (PAHO) Nutrient Profile Model⁸ demonstrate that countries can adopt or adapt a common framework while maintaining national flexibility. Over time, this has supported greater policy coherence and strengthened implementation across multiple policy domains.

09

Legal and EAC Policy Foundation

The EAC Treaty supports public health cooperation, standards harmonization, and regional integration².

A harmonized NPM is therefore consistent with EAC objectives and represents a logical extension of ongoing efforts to strengthen regional policy coherence.



Key message: Harmonization aligns with existing EAC mandates.

10

Recommendations

To advance alignment of NPMs across the EAC, the following actions are recommended:

- 1 **Establish a regional technical working group for a regional NPM harmonization.**
Comprising representatives from health, standards, and relevant sectors
- 2 **Agree on a common regional NPM framework**
Including core nutrients of concern, thresholds, and food categorisation principles
- 3 **Allow for limited national adaptation within a harmonised structure**
Ensuring flexibility while maintaining regional coherence
- 4 **Link the regional NPM to priority policy areas**
Including FOPL, fiscal measures, public procurement, and marketing regulations
- 5 **Develop a regional roadmap with clear timelines and responsibilities**
To guide implementation and monitor progress

11

Conclusion

Diet-related NCDs are rising across all EAC Partner States, and countries are increasingly taking steps to address this through policy action. At the same time, regional food systems are becoming more integrated.

A harmonized NPM framework will not only support more effective policy implementation but also position the EAC as a leader in coordinated action to address diet-related NCDs.



Key message: This is a timely opportunity to align health and regional integration goals.

References

1. Schumacher, A. E., Zheng, P., Barber, R. M., A. B., Aalipour, M. A., Aalruz, H., . . . Murray, C. J. L. (2025). Global age-sex-specific all-cause mortality and life expectancy estimates for 204 countries and territories and 660 subnational locations: a demographic analysis for the Global Burden of Disease Study 2023. *The Lancet*, 406(10513), 1731-1810. doi:10.1016/S0140-6736(25)01330-3
2. Global Burden of Disease, "VizHub - GBD Results - Kenya." Accessed: Jan. 29, 2026. [Online]. Available: <https://vizhub.healthdata.org/gbd-results/>
3. Cacciatore, S., Mao, S., Nuñez, M. V., Massaro, C., Spadafora, L., Bernardi, M., . . . Landi, F. Urban health inequities and healthy longevity: traditional and emerging risk factors across the cities and policy implications. (1720-8319 (Electronic)).
4. Mankar, A., Kawalkar, U., Jadhao, N., Joge, U., Paldiwal, A., Talapalliwar, M., & Patil, M. S. Exploring the Interplay of Socioeconomic and Behavioral Factors: Unraveling Gender Disparities in Glycemic Control Among Adult Type 2 Diabetic Patients in Outpatient Care. (2168-8184 (Print)).
5. Subasinghe, A. K., Arabshahi, S., Busingye, D., Evans, R. G., Walker, K. Z., Riddell, M. A., & Thrift, A. G. Association between salt and hypertension in rural and urban populations of low to middle income countries: a systematic review and meta-analysis of population based studies. (0964-7058 (Print)).
6. Nutrient Profile Model for the WHO African Region: a tool for implementing WHO recommendations on the marketing of foods and non-alcoholic beverages to children. (n.d.). Retrieved from www.who.int website: <https://www.who.int/publications/i/item/9789290234401>
7. Ministry of Health Kenya. (2021). *Kenya Nutrient Profile Model*. Nairobi: Government of Kenya
8. Pan American Health Organization Nutrient Profile Model. (2016). [Publications]. PAHO. <https://iris.paho.org/handle/10665.2/18621>
9. Treaty for the Establishment of the East African Community. (1999). Articles 81, 118(a), and 118(h). Retrieved from website: https://www.eacj.org/?page_id=33

